



# Combined infection training fill-rates 2013-25

## ST4 Recruitment 2025 fill-rates by region

Combined Infection Training ST4						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	0	0	N/A	0	0	N/A
EOE	0	0	N/A	0	0	N/A
KSS	0	0	N/A	0	0	N/A
LON	4	4	100%	0	0	N/A
NOR	1	1	100%	0	0	N/A
MER	0	0	N/A	0	0	N/A
NWE	0	0	N/A	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	0	0	N/A	0	0	N/A
TVA	1	1	100%	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	1	1	100%	0	0	N/A
YOR	1	1	100%	0	0	N/A
SCO	2	2	100%	0	0	N/A
WAL	0	0	100%	0	0	N/A
<b>Total</b>	<b>10</b>	<b>10</b>	<b>100%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>

Combined Infection Training ST4						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	0	0	N/A	0	0	N/A
EOE	1	1	100%	0	0	N/A
KSS	0	0	N/A	0	0	N/A
LON	3	3	100%	0	0	N/A
NOR	0	0	N/A	0	0	N/A
MER	0	0	N/A	0	0	N/A
NWE	0	0	N/A	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	0	0	N/A	0	0	N/A
TVA	0	0	N/A	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	0	0	N/A	0	0	N/A
YOR	0	0	N/A	0	0	N/A
SCO	0	0	N/A	0	0	N/A
WAL	0	0	N/A	0	0	N/A
<b>Total</b>	<b>4</b>	<b>4</b>	<b>100%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>

Combined Infection Training ST4 - overall						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	0	0	N/A	0	0	N/A
EOE	1	1	100%	0	0	N/A
KSS	0	0	N/A	0	0	N/A
LON	7	7	100%	0	0	N/A
NOR	1	1	100%	0	0	N/A
MER	0	0	N/A	0	0	N/A
NWE	0	0	N/A	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	0	0	N/A	0	0	N/A
TVA	1	1	100%	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	1	1	100%	0	0	N/A
YOR	1	1	100%	0	0	N/A
SCO	2	2	100%	0	0	N/A
WAL	0	0	N/A	0	0	N/A
<b>Total</b>	<b>14</b>	<b>14</b>	<b>100%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>



# Combined infection training fill-rates 2013-25

## ST3 Recruitment 2025 fill-rates by region

Combined Infection Training ST3						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	2	2	100%	0	0	N/A
EOE	5	5	100%	0	0	N/A
KSS	2	2	100%	0	0	N/A
LON	8	8	100%	0	0	N/A
NOR	2	2	100%	0	0	N/A
MER	0	0	N/A	0	0	N/A
NWE	0	0	N/A	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	0	0	N/A	0	0	N/A
TVA	1	1	100%	0	0	N/A
WES	3	3	100%	0	0	N/A
WMD	3	3	100%	0	0	N/A
YOR	2	2	100%	0	0	N/A
SCO	4	4	100%	0	0	N/A
WAL	4	4	100%	0	0	N/A
<b>Total</b>	<b>36</b>	<b>36</b>	<b>100%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>

Combined Infection Training ST3						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	1	1	100%	0	0	N/A
EOE	2	2	100%	0	0	N/A
KSS	1	1	100%	0	0	N/A
LON	6	6	100%	0	0	N/A
NOR	0	0	N/A	0	0	N/A
MER	1	1	100%	0	0	N/A
NWE	1	1	100%	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	1	1	100%	0	0	N/A
TVA	1	1	100%	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	0	0	N/A	0	0	N/A
YOR	1	1	100%	0	0	N/A
SCO	1	1	100%	0	0	N/A
WAL	0	0	N/A	0	0	N/A
<b>Total</b>	<b>16</b>	<b>16</b>	<b>100%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>

Combined Infection Training ST3 - overall						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	3	3	100%	0	0	N/A
EOE	7	7	100%	0	0	N/A
KSS	3	3	100%	0	0	N/A
LON	14	14	100%	0	0	N/A
NOR	2	2	100%	0	0	N/A
MER	1	1	100%	0	0	N/A
NWE	1	1	100%	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	1	1	100%	0	0	N/A
TVA	2	2	100%	0	0	N/A
WES	3	3	100%	0	0	N/A
WMD	3	3	100%	0	0	N/A
YOR	3	3	100%	0	0	N/A
SCO	5	5	100%	0	0	N/A
WAL	4	4	100%	0	0	N/A
<b>Total</b>	<b>52</b>	<b>52</b>	<b>100%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>



# Combined infection training fill-rates 2013-25

## ST4 Recruitment 2024 fill-rates by region

Combined Infection Training ST4						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	0	0	N/A	0	0	N/A
EOE	0	0	N/A	0	0	N/A
KSS	0	0	N/A	0	0	N/A
LON	3	3	100%	0	0	N/A
NOR	2	2	100%	0	0	N/A
MER	1	1	100%	0	0	N/A
NWE	0	0	N/A	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	0	0	N/A	0	0	N/A
TVA	1	1	100%	0	0	N/A
WES	2	2	100%	0	0	N/A
WMD	1	1	100%	0	0	N/A
YOR	1	1	100%	0	0	N/A
SCO	3	3	100%	0	0	N/A
WAL	0	0	N/A	0	0	N/A
<b>Total</b>	<b>14</b>	<b>14</b>	<b>100%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>

Combined Infection Training ST4						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	0	0	N/A	0	0	N/A
EOE	0	0	N/A	0	0	N/A
KSS	0	0	N/A	0	0	N/A
LON	3	3	100%	0	0	N/A
NOR	1	1	100%	0	0	N/A
MER	0	0	N/A	0	0	N/A
NWE	0	0	N/A	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	0	0	N/A	0	0	N/A
TVA	0	0	N/A	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	0	0	N/A	0	0	N/A
YOR	0	0	N/A	0	0	N/A
SCO	0	0	67%	0	0	N/A
WAL	0	0	N/A	0	0	N/A
<b>Total</b>	<b>4</b>	<b>4</b>	<b>100%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>

Combined Infection Training ST4 - overall						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	0	0	N/A	0	0	N/A
EOE	0	0	N/A	0	0	N/A
KSS	0	0	N/A	0	0	N/A
LON	6	6	100%	0	0	N/A
NOR	3	3	100%	0	0	N/A
MER	1	1	100%	0	0	N/A
NWE	0	0	N/A	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	0	0	100%	0	0	N/A
TVA	1	1	100%	0	0	N/A
WES	2	2	100%	0	0	N/A
WMD	1	1	100%	0	0	N/A
YOR	1	1	100%	0	0	N/A
SCO	3	3	100%	0	0	N/A
WAL	0	0	N/A	0	0	N/A
<b>Total</b>	<b>18</b>	<b>18</b>	<b>100%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>



# Combined infection training fill-rates 2013-25

## ST3 Recruitment 2024 fill-rates by region

Combined Infection Training ST3						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	1	1	100%	0	0	N/A
EOE	3	3	100%	0	0	N/A
KSS	1	1	100%	0	0	N/A
LON	7	7	100%	0	0	N/A
NOR	3	3	100%	0	0	N/A
MER	1	1	100%	0	0	N/A
NWE	2	2	100%	0	0	N/A
PEN	0	0	100%	0	0	N/A
SEV	2	2	100%	0	0	N/A
TVA	2	2	100%	0	0	N/A
WES	2	2	100%	0	0	N/A
WMD	3	3	100%	0	0	N/A
YOR	5	5	100%	0	0	N/A
SCO	5	5	100%	0	0	N/A
WAL	2	2	100%	0	0	N/A
<b>Total</b>	<b>39</b>	<b>39</b>	<b>100%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>

Combined Infection Training ST3						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	0	0	N/A	0	0	N/A
EOE	1	1	100%	0	0	N/A
KSS	2	2	100%	0	0	N/A
LON	5	5	100%	0	0	N/A
NOR	2	2	100%	0	0	N/A
MER	1	1	100%	0	0	N/A
NWE	3	3	100%	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	1	1	100%	0	0	N/A
TVA	1	1	100%	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	1	1	N/A	0	0	N/A
YOR	0	0	N/A	0	0	N/A
SCO	3	2	67%	0	0	N/A
WAL	0	0	N/A	0	0	N/A
<b>Total</b>	<b>20</b>	<b>19</b>	<b>95%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>

Combined Infection Training ST3 - overall						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	1	1	100%	0	0	N/A
EOE	4	4	100%	0	0	N/A
KSS	3	3	100%	0	0	N/A
LON	12	12	100%	0	0	N/A
NOR	5	5	100%	0	0	N/A
MER	2	2	100%	0	0	N/A
NWE	5	5	100%	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	3	3	100%	0	0	N/A
TVA	3	3	100%	0	0	N/A
WES	2	2	100%	0	0	N/A
WMD	4	4	100%	0	0	N/A
YOR	5	5	100%	0	0	N/A
SCO	8	7	100%	0	0	N/A
WAL	2	2	100%	0	0	N/A
<b>Total</b>	<b>59</b>	<b>58</b>	<b>98%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>



# Combined infection training fill-rates 2013-25

## ST4 Recruitment 2023 fill-rates by region

Combined Infection Training ST4 - round 1						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	1	1	100%	0	0	N/A
EOE	0	0	N/A	0	0	N/A
KSS	0	0	N/A	0	0	N/A
LON	2	2	100%	0	0	N/A
NOR	1	1	100%	0	0	N/A
MER	2	2	100%	0	0	N/A
NWE	2	2	100%	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	1	1	100%	0	0	N/A
TVA	1	1	100%	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	2	1	50%	0	0	N/A
YOR	1	1	100%	0	0	N/A
SCO	8	7	88%	0	0	N/A
WAL	0	0	N/A	0	0	N/A
<b>Total</b>	<b>21</b>	<b>19</b>	<b>90%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>

Combined Infection Training ST4 - round 2						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	1	1	100%	0	0	N/A
EOE	0	0	N/A	0	0	N/A
KSS	0	0	N/A	0	0	N/A
LON	1	1	100%	0	0	N/A
NOR	0	0	N/A	0	0	N/A
MER	0	0	N/A	0	0	N/A
NWE	1	1	100%	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	0	0	N/A	0	0	N/A
TVA	0	0	N/A	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	1	1	100%	0	0	N/A
YOR	0	0	N/A	0	0	N/A
SCO	0	0	N/A	0	0	N/A
WAL	0	0	N/A	0	0	N/A
<b>Total</b>	<b>4</b>	<b>4</b>	<b>100%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>

Combined Infection Training ST4 - overall						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	2	2	100%	0	0	N/A
EOE	0	0	N/A	0	0	N/A
KSS	0	0	N/A	0	0	N/A
LON	3	3	100%	0	0	N/A
NOR	1	1	100%	0	0	N/A
MER	2	2	100%	0	0	N/A
NWE	3	3	100%	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	1	1	100%	0	0	N/A
TVA	1	1	100%	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	3	2	67%	0	0	N/A
YOR	1	1	100%	0	0	N/A
SCO	8	7	88%	0	0	N/A
WAL	0	0	N/A	0	0	N/A
<b>Total</b>	<b>25</b>	<b>23</b>	<b>92%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>



# Combined infection training fill-rates 2013-25

## ST3 Recruitment 2023 fill-rates by region

Combined Infection Training ST3 - round 1						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	4	4	100%	0	0	N/A
EOE	6	6	100%	0	0	N/A
KSS	3	3	100%	0	0	N/A
LON	3	3	100%	0	0	N/A
NOR	2	2	100%	0	0	N/A
MER	0	0	N/A	0	0	N/A
NWE	2	2	100%	0	0	N/A
PEN	1	1	100%	0	0	N/A
SEV	2	2	100%	0	0	N/A
TVA	0	0	N/A	0	0	N/A
WES	1	1	100%	0	0	N/A
WMD	2	2	100%	0	0	N/A
YOR	5	5	100%	0	0	N/A
SCO	4	4	100%	0	0	N/A
WAL	5	5	100%	0	0	N/A
<b>Total</b>	<b>40</b>	<b>40</b>	<b>100%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>

Combined Infection Training ST3 - round 2						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	1	1	100%	0	0	N/A
EOE	0	0	N/A	0	0	N/A
KSS	0	0	N/A	0	0	N/A
LON	3	3	100%	0	0	N/A
NOR	2	0	0%	0	0	N/A
MER	0	0	N/A	0	0	N/A
NWE	3	3	100%	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	0	0	N/A	0	0	N/A
TVA	0	0	N/A	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	2	2	100%	0	0	N/A
YOR	1	1	100%	0	0	N/A
SCO	1	1	100%	0	0	N/A
WAL	1	1	100%	0	0	N/A
<b>Total</b>	<b>14</b>	<b>12</b>	<b>86%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>

Combined Infection Training ST3 - overall						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	5	5	100%	0	0	N/A
EOE	6	5	83%	0	0	N/A
KSS	3	3	100%	0	0	N/A
LON	6	6	100%	0	0	N/A
NOR	4	2	50%	0	0	N/A
MER	0	0	N/A	0	0	N/A
NWE	5	5	100%	0	0	N/A
PEN	1	1	100%	0	0	N/A
SEV	2	2	100%	0	0	N/A
TVA	0	0	N/A	0	0	N/A
WES	1	1	100%	0	0	N/A
WMD	4	4	100%	0	0	N/A
YOR	6	6	100%	0	0	N/A
SCO	5	5	100%	0	0	N/A
WAL	6	6	100%	0	0	N/A
<b>Total</b>	<b>51</b>	<b>51</b>	<b>100%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>



# Combined infection training fill-rates 2013-25

## ST4 Recruitment 2022 fill-rates by region

Combined Infection Training ST4						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	3	1	33%	0	0	N/A
EOE	2	2	100%	0	0	N/A
KSS	0	0	N/A	0	0	N/A
LON	4	4	100%	0	0	N/A
NOR	0	0	N/A	0	0	N/A
MER	0	0	N/A	0	0	N/A
NWE	1	0	0%	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	1	1	100%	0	0	N/A
TVA	2	2	100%	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	3	3	100%	0	0	N/A
YOR	2	2	100%	0	0	N/A
SCO	6	2	33%	0	0	N/A
WAL	0	0	N/A	0	0	N/A
<b>Total</b>	<b>24</b>	<b>17</b>	<b>71%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>

Combined Infection Training ST4						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	0	0	N/A	0	0	N/A
EOE	0	0	N/A	0	0	N/A
KSS	0	0	N/A	0	0	N/A
LON	2	2	100%	0	0	N/A
NOR	0	0	N/A	0	0	N/A
MER	0	0	N/A	0	0	N/A
NWE	2	0	0%	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	0	0	N/A	0	0	N/A
TV	0	0	N/A	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	0	0	N/A	0	0	N/A
YOR	1	1	100%	0	0	N/A
SCO	0	0	N/A	0	0	N/A
WAL	0	0	N/A	0	0	N/A
<b>Total</b>	<b>5</b>	<b>3</b>	<b>60%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>

Combined Infection Training ST4						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	3	1	33%	0	0	N/A
EOE	2	2	100%	0	0	N/A
KSS	0	0	N/A	0	0	N/A
LON	6	6	100%	0	0	N/A
NOR	0	0	N/A	0	0	N/A
MER	0	0	N/A	0	0	N/A
NWE	2	0	0%	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	1	1	100%	0	0	N/A
TVA	2	2	100%	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	3	3	100%	0	0	N/A
YOR	3	3	100%	0	0	N/A
SCO	6	2	33%	0	0	N/A
WAL	0	0	N/A	0	0	N/A
<b>Total</b>	<b>28</b>	<b>20</b>	<b>71%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>



# Combined infection training fill-rates 2013-25

## ST3 Recruitment 2022 fill-rates by region

Combined Infection Training ST3						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	3	2	67%	0	0	N/A
EOE	1	1	100%	0	0	N/A
KSS	0	0	N/A	0	0	N/A
LON	9	9	100%	0	0	N/A
NOR	3	2	67%	0	0	N/A
MER	0	0	N/A	0	0	N/A
NWE	0	0	N/A	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	0	0	N/A	0	0	N/A
TVA	0	0	N/A	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	4	2	50%	0	0	N/A
YOR	7	3	43%	0	0	N/A
SCO	2	2	100%	1	0	0%
WAL	4	2	50%	0	0	N/A
<b>Total</b>	<b>33</b>	<b>23</b>	<b>70%</b>	<b>1</b>	<b>0</b>	<b>0%</b>

Combined Infection Training ST3						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	1	0	0%	0	0	N/A
EOE	1	0	0%	0	0	N/A
KSS	0	0	N/A	0	0	N/A
LON	4	4	100%	0	0	N/A
NOR	1	1	100%	0	0	N/A
MER	1	1	100%	0	0	N/A
NWE	0	0	N/A	0	0	N/A
PEN	1	0	N/A	0	0	N/A
SEV	0	0	n	0	0	N/A
TV	0	0	N/A	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	2	2	N/A	0	0	N/A
YOR	6	6	100%	0	0	N/A
SCO	0	0	N/A	0	0	N/A
WAL	3	2	67%	0	0	N/A
<b>Total</b>	<b>20</b>	<b>16</b>	<b>80%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>

Combined Infection Training ST3 - overall						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	3	2	67%	0	0	N/A
EOE	2	1	50%	0	0	N/A
KSS	0	0	N/A	0	0	N/A
LON	13	13	100%	0	0	N/A
NOR	3	3	100%	0	0	N/A
MER	1	1	100%	0	0	N/A
NWE	0	0	N/A	0	0	N/A
PEN	1	0	0%	0	0	N/A
SEV	0	0	N/A	0	0	N/A
TVA	0	0	N/A	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	4	4	100%	0	0	N/A
YOR	9	9	100%	0	0	N/A
SCO	2	2	100%	1	0	0%
WAL	5	4	80%	0	0	N/A
<b>Total</b>	<b>43</b>	<b>39</b>	<b>91%</b>	<b>1</b>	<b>0</b>	<b>0%</b>



# Combined infection training fill-rates 2013-25

## ST3 Recruitment 2021 fill-rates by region

Combined infection training - round 1						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	6	6	100%	0	0	N/A
EOE	0	0	N/A	0	0	N/A
KSS	4	4	100%	0	0	N/A
LON	10	10	100%	0	0	N/A
NOR	3	2	67%	0	0	N/A
MER	2	2	100%	0	0	N/A
NWE	2	2	100%	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	2	2	100%	0	0	N/A
TVA	2	2	100%	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	4	4	100%	0	0	N/A
YOR	8	5	63%	0	0	N/A
SCO	7	4	57%	0	0	N/A
WAL	3	3	100%	0	0	N/A
<b>Total</b>	<b>53</b>	<b>46</b>	<b>87%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>

Combined infection training - round 2						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	1	1	100%	0	0	N/A
EOE	2	2	100%	0	0	N/A
KSS	0	0	N/A	0	0	N/A
LON	5	5	100%	0	0	N/A
NOR	1	1	100%	0	0	N/A
MER	0	0	N/A	0	0	N/A
NWE	2	2	100%	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	1	1	100%	0	0	N/A
TVA	1	1	N/A	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	0	0	N/A	0	0	N/A
YOR	3	3	100%	0	0	N/A
SCO	3	3	N/A	0	0	N/A
WAL	1	1	100%	0	0	N/A
<b>Total</b>	<b>20</b>	<b>20</b>	<b>100%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>

Combined infection training - overall						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	7	7	100%	0	0	N/A
EOE	2	2	100%	0	0	N/A
KSS	4	4	100%	0	0	N/A
LON	15	15	100%	0	0	N/A
NOR	4	3	75%	0	0	N/A
MER	2	2	100%	0	0	N/A
NWE	4	4	100%	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	3	3	100%	0	0	N/A
TVA	3	3	100%	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	4	4	100%	0	0	N/A
YOR	10	8	80%	0	0	N/A
SCO	10	7	70%	0	0	N/A
WAL	4	4	100%	0	0	N/A
<b>Total</b>	<b>71</b>	<b>70</b>	<b>92%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>



# Combined infection training fill-rates 2013-25

## ST3 Recruitment 2020 fill-rates by region

**Round 1**

Combined infection training - round 1						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	3	3	100%	0	0	N/A
EOE	3	2	67%	0	0	N/A
KSS	2	2	100%	0	0	N/A
LON	12	12	100%	0	0	N/A
NOR	2	2	100%	0	0	N/A
MER	3	3	100%	0	0	N/A
NWE	1	1	100%	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	2	2	100%	0	0	N/A
TVA	3	3	100%	0	0	N/A
WES	1	1	100%	0	0	N/A
WMD	4	4	100%	0	0	N/A
YOR	8	8	100%	0	0	N/A
SCO	5	5	100%	0	0	N/A
WAL	5	5	100%	0	0	N/A
<b>Total</b>	<b>54</b>	<b>53</b>	<b>98%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>

**Round 2**

Combined infection training - round 2						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	0	0	N/A	0	0	N/A
EOE	0	0	N/A	0	0	N/A
KSS	0	0	N/A	0	0	N/A
LON	11	11	100%	0	0	N/A
NOR	1	1	100%	0	0	N/A
MER	3	3	100%	0	0	N/A
NWE	0	0	N/A	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	0	0	N/A	0	0	N/A
TV	0	0	N/A	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	0	0	N/A	0	0	N/A
YOR	1	1	100%	0	0	N/A
SCO	0	0	N/A	0	0	N/A
WAL	1	1	100%	0	0	N/A
<b>Total</b>	<b>17</b>	<b>17</b>	<b>100%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>

**Overall**

Combined infection training - overall						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	3	3	100%	0	0	N/A
EOE	3	2	67%	0	0	N/A
KSS	2	2	100%	0	0	N/A
LON	23	23	100%	0	0	N/A
NOR	3	3	100%	0	0	N/A
MER	6	6	100%	0	0	N/A
NWE	1	1	100%	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	2	2	100%	0	0	N/A
TVA	3	3	100%	0	0	N/A
WES	1	1	100%	0	0	N/A
WMD	4	4	100%	0	0	N/A
YOR	9	9	100%	0	0	N/A
SCO	5	5	100%	0	0	N/A
WAL	6	6	100%	0	0	N/A
<b>Total</b>	<b>71</b>	<b>70</b>	<b>99%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>



# Combined infection training fill-rates 2013-25

## ST3 Recruitment 2019 fill-rates by region

### Round 1

Combined infection training - round 1						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	1	1	100%	0	0	N/A
EOE	4	2	50%	0	0	N/A
KSS	1	1	100%	0	0	N/A
LON	3	3	100%	0	0	N/A
NOR	4	4	100%	0	0	N/A
MER	3	3	100%	0	0	N/A
NWE	4	4	100%	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	3	3	100%	0	0	N/A
TVA	2	2	100%	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	5	3	60%	0	0	N/A
YOR	12	9	75%	0	0	N/A
SCO	16	12	75%	0	0	N/A
WAL	4	2	50%	0	0	N/A
<b>Total</b>	<b>62</b>	<b>49</b>	<b>79%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>

### Round 2

Combined infection training - round 2						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	1	1	100%	0	0	N/A
EOE	3	2	67%	0	0	N/A
KSS	1	1	100%	0	0	N/A
LON	11	11	100%	0	0	N/A
NOR	0	0	N/A	0	0	N/A
MER	0	0	N/A	0	0	N/A
NWE	0	0	N/A	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	0	0	N/A	0	0	N/A
TV	0	0	N/A	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	5	3	60%	0	0	N/A
YOR	6	2	33%	0	0	N/A
SCO	3	2	67%	0	0	N/A
WAL	2	0	0%	0	0	N/A
<b>Total</b>	<b>32</b>	<b>22</b>	<b>69%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>

### Overall

Combined infection training - overall						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	2	2	100%	0	0	N/A
EOE	5	4	80%	0	0	N/A
KSS	2	2	100%	0	0	N/A
LON	14	14	100%	0	0	N/A
NOR	4	4	100%	0	0	N/A
MER	3	3	100%	0	0	N/A
NWE	4	4	100%	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	3	3	100%	0	0	N/A
TVA	2	2	100%	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	8	6	75%	0	0	N/A
YOR	15	11	73%	0	0	N/A
SCO	15	14	93%	0	0	N/A
WAL	4	2	50%	0	0	N/A
<b>Total</b>	<b>81</b>	<b>71</b>	<b>88%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>



# Combined infection training fill-rates 2013-25

## ST3 Recruitment 2018 fill-rates by region

Round 1

Combined infection training - 2018 round 1						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	6	5	83%	0	0	N/A
EOE	0	0	N/A	0	0	N/A
KSS	2	2	100%	0	0	N/A
LON	18	18	100%	0	0	N/A
NOR	5	4	80%	0	0	N/A
MER	0	0	N/A	0	0	N/A
NWE	2	2	100%	0	0	N/A
PEN	2	2	100%	0	0	N/A
SEV	1	1	100%	0	0	N/A
TVA	3	3	100%	0	0	N/A
WES	2	2	100%	0	0	N/A
WMD	3	2	67%	0	0	N/A
YOR	7	5	71%	0	0	N/A
SCO	16	11	69%	0	0	N/A
WAL	3	3	100%	0	0	N/A
<b>Total</b>	<b>70</b>	<b>60</b>	<b>86%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>

Round 2

Combined infection training - 2018 round 2						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	2	2	100%	0	0	N/A
EOE	0	0	N/A	0	0	N/A
KSS	0	0	N/A	0	0	N/A
LON	13	8	62%	0	0	N/A
NOR	1	1	100%	0	0	N/A
MER	0	0	N/A	0	0	N/A
NWE	5	4	80%	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	0	0	N/A	0	0	N/A
TV	1	1	100%	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	1	1	100%	0	0	N/A
YOR	3	0	0%	0	0	N/A
SCO	8	1	13%	0	0	N/A
WAL	1	1	100%	0	0	N/A
<b>Total</b>	<b>35</b>	<b>19</b>	<b>54%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>

Overall

Combined infection training - 2018 overall						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	7	7	100%	0	0	N/A
EOE	0	0	N/A	0	0	N/A
KSS	2	2	100%	0	0	N/A
LON	31	26	84%	0	0	N/A
NOR	5	5	100%	0	0	N/A
MER	0	0	N/A	0	0	N/A
NWE	7	6	86%	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	0	0	N/A	0	0	N/A
TVA	4	4	100%	0	0	N/A
WES	2	2	100%	0	0	N/A
WMD	3	3	100%	0	0	N/A
YOR	8	4	50%	0	0	N/A
SCO	18	10	56%	0	0	N/A
WAL	4	4	100%	0	0	N/A
<b>Total</b>	<b>91</b>	<b>73</b>	<b>80%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>



# Combined infection training fill-rates 2013-25

## ST3 Recruitment 2017 fill-rates by region

Round 1

Round 2

Overall

Combined infection training - 2017 round 1						
EMD	4	4	100%	0	0	N/A
EOE	2	2	100%	0	0	N/A
KSS	2	1	50%	0	0	N/A
LON	6	6	100%	0	0	N/A
NOR	5	2	40%	0	0	N/A
MER	2	2	100%	0	0	N/A
NWE	2	2	100%	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	3	3	100%	0	0	N/A
TVA	2	2	100%	0	0	N/A
WES	1	1	100%	0	0	N/A
WMD	3	3	100%	0	0	N/A
YOR	11	8	73%	0	0	N/A
SCO	8	4	50%	0	0	N/A
WAL	2	1	50%	0	0	N/A
<b>Total</b>	<b>53</b>	<b>41</b>	<b>77%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>

Combined infection training - 2017 round 2						
EMD	1	0	0%	0	0	N/A
EOE	0	0	N/A	0	0	N/A
KSS	1	1	100%	0	0	N/A
LON	10	10	100%	0	0	N/A
NOR	2	1	50%	0	0	N/A
MER	0	0	N/A	0	0	N/A
NWE	0	0	N/A	0	0	N/A
PEN	0	0	N/A	0	0	N/A
SEV	0	0	N/A	0	0	N/A
TV	0	0	N/A	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	1	0	0%	0	0	N/A
YOR	3	0	0%	0	0	N/A
SCO	8	2	25%	0	0	N/A
WAL	2	0	0%	0	0	N/A
<b>Total</b>	<b>28</b>	<b>14</b>	<b>50%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>

Combined infection training - 2017 overall						
EMD	5	4	80%	0	0	N/A
EOE	2	2	100%	0	0	N/A
KSS	2	2	100%	0	0	N/A
NOR	6	3	50%	0	0	N/A
MER	2	2	100%	0	0	N/A
NWE	2	2	100%	0	0	N/A
a	3	3	100%	0	0	N/A
TV	2	2	100%	0	0	N/A
WES	1	1	100%	0	0	N/A
WMD	4	3	75%	0	0	N/A
YOR	13	8	62%	0	0	N/A
LON	16	16	100%	0	0	N/A
SCO	14	5	36%	0	0	N/A
WAL	3	1	33%	0	0	N/A
<b>Total</b>	<b>75</b>	<b>54</b>	<b>72%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>



# Combined infection training fill-rates 2013-25

## ST3 Recruitment 2016 fill-rates by region

Round 1

Combined infection training - 2016 round 1						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	7	6	86%	0	0	N/A
EOE	3	2	67%	0	0	N/A
KSS	2	1	50%	0	0	N/A
NOR	5	4	80%	0	0	N/A
MER	3	3	100%	0	0	N/A
NWE	8	6	75%	0	0	N/A
SW	1	1	100%	0	0	N/A
TVA	1	1	100%	0	0	N/A
WES	1	1	100%	0	0	N/A
WMD	3	2	67%	0	0	N/A
YOR	5	5	100%	0	0	N/A
LON	12	12	100%	0	0	N/A
SCO	3	2	67%	0	0	N/A
WAL	2	1	50%	0	0	N/A
<b>Total</b>	<b>56</b>	<b>47</b>	<b>84%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>

Round 2

Combined infection training - 2016 round 2						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	0	0	N/A	0	0	N/A
EOE	0	0	N/A	0	0	N/A
KSS	1	0	0%	0	0	N/A
NOR	1	1	100%	0	0	N/A
MER	0	0	N/A	0	0	N/A
NWE	6	2	33%	0	0	N/A
SW	1	0	0%	0	0	N/A
TVA	0	0	N/A	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	2	0	0%	0	0	N/A
YOR	1	0	0%	0	0	N/A
LON	6	6	100%	0	0	N/A
SCO	0	0	N/A	0	0	N/A
WAL	1	0	0%	0	0	N/A
<b>Total</b>	<b>19</b>	<b>9</b>	<b>47%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>

Overall

Combined infection training - 2016 overall						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	7	6	86%	0	0	N/A
EOE	3	2	67%	0	0	N/A
KSS	3	1	33%	0	0	N/A
NOR	6	5	83%	0	0	N/A
MER	3	3	100%	0	0	N/A
NWE	14	8	57%	0	0	N/A
SW	2	1	50%	0	0	N/A
TV	1	1	100%	0	0	N/A
WES	1	1	100%	0	0	N/A
WMD	4	2	50%	0	0	N/A
YOR	6	5	83%	0	0	N/A
LON	18	18	100%	0	0	N/A
SCO	3	2	67%	0	0	N/A
WAL	2	1	50%	0	0	N/A
<b>Total</b>	<b>73</b>	<b>56</b>	<b>77%</b>	<b>0</b>	<b>0</b>	<b>N/A</b>



# Combined infection training fill-rates 2013-25

## ST3 Recruitment 2015 fill-rates by region

Round 1

Combined infection training - 2015 round 1						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	9	7	78%	3	0	0%
EOE	2	0	0%	0	0	N/A
KSS	1	0	0%	2	0	0%
NOR	6	3	50%	0	0	N/A
MER	2	1	50%	0	0	N/A
NWE	1	1	100%	0	0	N/A
SW	3	1	33%	0	0	N/A
TVA	1	0	0%	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	2	1	50%	0	0	N/A
YOR	5	3	60%	3	0	0%
LON	22	21	95%	2	0	0%
SCO	6	4	67%	0	0	N/A
WAL	2	1	50%	0	0	N/A
<b>Total</b>	<b>62</b>	<b>43</b>	<b>69%</b>	<b>10</b>	<b>0</b>	<b>0%</b>

Round 2

Combined infection training - 2015 round 2						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	2	0	0%	0	0	N/A
EOE	2	0	0%	0	0	N/A
KSS	1	1	100%	3	0	0%
NOR	4	0	0%	0	0	N/A
MER	2	2	100%	0	0	N/A
NWE	2	0	0%	0	0	N/A
SW	2	1	50%	0	0	N/A
TVA	0	0	N/A	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	1	1	100%	1	0	0%
YOR	4	3	75%	2	0	0%
LON	0	0	N/A	1	0	0%
SCO	2	1	50%	0	0	N/A
WAL	0	0	N/A	0	0	N/A
<b>Total</b>	<b>22</b>	<b>9</b>	<b>41%</b>	<b>7</b>	<b>0</b>	<b>0%</b>

Overall

Combined infection training - 2015 total						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	9	7	78%	3	0	0%
EOE	2	0	0%	0	0	N/A
KSS	1	1	100%	3	0	0%
NOR	7	3	43%	0	0	N/A
MER	3	3	100%	0	0	N/A
NWE	3	1	33%	0	0	N/A
SW	3	2	67%	0	0	N/A
TVA	1	0	0%	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	2	2	100%	1	0	0%
YOR	7	6	86%	3	0	0%
LON	22	21	95%	2	0	0%
SCO	6	5	83%	0	0	N/A
WAL	2	1	50%	0	0	N/A
<b>Total</b>	<b>68</b>	<b>52</b>	<b>76%</b>	<b>12</b>	<b>0</b>	<b>0%</b>



# Combined infection training fill-rates 2013-25

## ST3 Recruitment 2014 fill-rates by region

Round 1

Infectious diseases - 2014 round 1						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	2	1	50%	2	0	0%
EOE	0	0	N/A	0	0	N/A
KSS	1	0	0%	1	0	0%
NOR	3	3	100%	1	1	100%
MER	2	2	100%	2	2	100%
NWE	1	1	100%	1	1	100%
SW	0	0	N/A	0	0	N/A
TVA	0	0	N/A	3	1	33%
WES	0	0	N/A	1	0	0%
WMD	7	4	57%	0	0	N/A
YOR	2	2	100%	6	4	67%
LON	10	10	100%	0	0	N/A
SCO	2	2	100%	0	0	N/A
WAL	0	0	N/A	0	0	N/A
<b>Total</b>	<b>30</b>	<b>25</b>	<b>83%</b>	<b>17</b>	<b>9</b>	<b>53%</b>

Round 2

Infectious diseases - 2014 round 2						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	2	0	0%	4	0	0%
EOE	0	0	N/A	0	0	N/A
KSS	1	0	0%	2	0	0%
NOR	0	0	N/A	0	0	N/A
MER	0	0	N/A	1	0	0%
NWE	0	0	N/A	0	0	N/A
SW	0	0	N/A	0	0	N/A
TVA	0	0	N/A	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	4	2	50%	0	0	N/A
YOR	0	0	N/A	0	0	N/A
LON	10	8	80%	1	0	0%
SCO	0	0	N/A	0	0	N/A
WAL	0	0	N/A	2	0	0%
<b>Total</b>	<b>17</b>	<b>10</b>	<b>59%</b>	<b>10</b>	<b>0</b>	<b>0%</b>

Overall

Infectious diseases - 2014 total						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	3	1	33%	4	0	0%
EOE	0	0	N/A	0	0	N/A
KSS	1	0	0%	2	0	0%
NOR	3	3	100%	1	1	100%
MER	2	2	100%	3	2	67%
NWE	1	1	100%	1	1	100%
SW	0	0	N/A	0	0	N/A
TV	0	0	N/A	3	1	33%
WES	0	0	N/A	1	0	0%
WMD	8	6	75%	0	0	N/A
YOR	2	2	100%	6	4	67%
LON	20	18	90%	1	0	0%
SCO	2	2	100%	0	0	N/A
WAL	0	0	N/A	2	0	0%
<b>Total</b>	<b>42</b>	<b>35</b>	<b>83%</b>	<b>24</b>	<b>9</b>	<b>38%</b>



# Combined infection training fill-rates 2013-25

## ST3 Recruitment 2013 fill-rates by region

Round 1

Infectious diseases - 2013 round 1						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	0	0	N/A	0	0	N/A
EOE	0	0	N/A	0	0	N/A
KSS	0	0	N/A	0	0	N/A
NOR	1	1	100%	2	1	50%
MER	0	0	N/A	3	3	100%
NWE	3	3	100%	1	1	100%
SW	2	2	100%	0	0	N/A
TVA	0	0	N/A	4	3	75%
WES	5	5	100%	0	0	N/A
WMD	4	4	100%	1	0	0%
YOR	1	1	100%	7	0	0%
LON	0	0	N/A	11	8	73%
SCO	5	5	100%	5	0	0%
WAL	1	1	100%	0	0	N/A
<b>Total</b>	<b>22</b>	<b>22</b>	<b>100%</b>	<b>34</b>	<b>16</b>	<b>47%</b>

Round 2

Infectious diseases - 2013 round 2						
Region	NTNs	NTNs Filled	% NTN	LATs	LATs Filled	% LAT
EMD	1	0	0%	2	0	0%
EOE	1	1	100%	0	0	N/A
KSS	1	1	100%	1	0	0%
NOR	0	0	N/A	0	0	N/A
MER	0	0	N/A	0	0	N/A
NWE	0	0	N/A	0	0	N/A
SW	0	0	N/A	0	0	N/A
TVA	0	0	N/A	0	0	N/A
WES	0	0	N/A	0	0	N/A
WMD	0	0	N/A	2	0	0%
YOR	0	0	N/A	4	1	25%
LON	8	8	100%	1	0	0%
SCO	0	0	N/A	0	0	N/A
WAL	0	0	N/A	0	0	N/A
<b>Total</b>	<b>11</b>	<b>10</b>	<b>91%</b>	<b>10</b>	<b>1</b>	<b>10%</b>